

Alvin J. Coleman & Son, Inc.
CONFINED SPACE ENTRY PERMIT

DATE _____
 TIME _____ ISSUED BY _____
 LOCATION OF SPACE _____
 PURPOSE FOR ENTERING SPACE _____

NAMES OF INDIVIDUALS ENTERING CONFINED SPACE

NAME	IN	OUT	NAME	IN	OUT

CHECK THE APPROPRIATE REPLY TO EACH ITEM

PRECAUTIONS	YES	NO	N/A	PROTECT/EQUIP.	YES	NO	N/A
Employee qualified	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Belt/harness/lifeline	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Space clean	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Breathing apparatus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Space's atmosphere safe for entry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warning signs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lines to space blanked or disconnected	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fire equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lock out devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rescue gear on hand	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Safety lights	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Protective equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Communication devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Forced ventilation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				Misc. equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MONITORING EQUIP. CALIBRATED ON: _____ DATE _____
 IS A HOT-WORK PERMIT REQUIRED? _____

NAME OF OBSERVER _____

MISC. PRECAUTIONS _____

DATE _____

ISSUED BY _____

ATMOSPHERIC TESTING OF CONFINED SPACE:

Test for:	% O2	% LFL	CO	H2S		
Reading						
Limit	19.5 to 22	<10	<35ppm	<10ppm		